# Soil Sample Information for Multiple Samples

University of Kentucky Soil Testing Lab

## Agriculture Crop Information (A form)

Name_____

Address_____

City_____State_____

Zip_____Phone_____

**FOR COUNTY OFFICE USE ONLY**
**DO NOT SEND THIS FORM TO LABORATORY**

| County Sample Number | Owner Sample ID | Acres | Primary Crop | Previous Crop | Primary Crop Mngmt | Previous Crop Mngmt | Primary Crop Use | Previous Crop Use | Soil Drainage |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

**Crop Management:**
- CT Conventional tillage
- NT No tillage
- DCT Doublecrop – conventional
- CNT Doublecrop – no till
- NS New seeding
- R Renovation

**Crop Management (cont):**
- ATD Annual top dressing
- HP<4 Hay or pasture less than 4 yrs
- HP>4 Hay or pasture 5 yrs or longer

(HP<4 and HP>4 only used for Previous Crop Management)

**Crop Use:**
- G Grain
- S Silage
- T Tobacco
- H Hay
- P Pasture
- HP Horse pasture

**Crop Use (cont):**
- SP Seed production
- SG Silage-grain (doublecrop)
- GG Grain-grain (doublecrop)
- SS Silage-silage (doublecrop)
- CC Cover crop

**Soil Drainage:**
- WD Well drained
- MWD Moderately well drained
- SPD Somewhat poorly drained
- PD Poorly drained
- PT Poorly, but tiled

| |
|---|
| Alfalfa |
| Alfalfa/Grass |
| Barley |
| Barley/Soybeans |
| Bermudagrass, common |
| Bermudagrass, improved |
| Birdsfoot Trefoil |
| Bluegrass |
| Bluegrass/White Clover |
| Bluestem |
| Buffer or Filter Strip |
| Burley Tobacco |
| Canola |
| Canola/Soybeans |
| Clover/Grass |
| Cool Season Grass |
| Corn |
| Crownvetch |
| Dark Tobacco |
| Fescue |
| Fescue/Lespedeza (multiple) |
| Fescue/White Clover |
| Forage Crops (multiple) |
| Forage Sorghum |
| Grain Crops (multiple) |
| Grain Sorghum |
| Indiangrass |

| |
|---|
| Lespedeza |
| Lespedeza/Grass |
| Millet |
| Native Grassland Restoration |
| Oats |
| Oats/Soybeans |
| Orchardgrass |
| Orchardgrass/Red Clover |
| Orchardgrass/White Clover |
| Other |
| Red Clover |
| Red Clover/Grass |
| Rye |
| Rye/Soybeans |
| Side-oats grama |
| Small Grains |
| Small Grains/Corn |
| Small Grains/Soybeans |
| Sorghum/Sudangras |
| Soybeans |
| Sudangrass |
| Sunflower |
| Switchgrass |
| Timothy |
| Timothy/Red Clover |
| Tobacco Beds |
| Triticale |

| |
|---|
| Triticale/Soybeans |
| Warm Season Annual Grass |
| Warm Season Native Grass |
| Wheat |
| Wheat/Corn |
| Wheat/Soybeans |
| White Clover |
| White Clover/Grass |
| Wildlife Food Plot |

**Agricultural Soil Sample Form**

| | Corn | Soybeans | Tobacco | Forages |
|---|---|---|---|---|
| **Previous Crop** | ☑ | | ☑ | |
| **Primary Management** | ☑ a | | | ☑ c |
| **Previous Management** | ☑ b | | | |
| **Primary Use** | ☑ | | | ☑ |
| **Previous Use** | | | | |
| **What was there 2 yrs ago?** | | | ☑ d | |
| **Soil Drainage** | ☑ | | ☑ | |

**a. Choose conventional tillage or no tillage.**
**b. Only needed if forage was previous crop.**
**c. Choose new seeding, renovation, or annual top dressing. Renovation is the seeding of legume (clover or lespedeza) in an established grass stand.**
**d. Only needed if tobacco was previous crop.**